Author Index

ABBOTT, W.G. *see* SIMPSON, I.J.

ALARCÓN-RIQUELME, M.E. & FERNÁNDEZ, C. CDR3 regions in the preimmune V_H B cell repertoire of *lpr* mice, 73

ALBERTO, P. *see* ROTH, A.D.

ALLEN, A.C. *see* HARPER, S.J.

ALONSO, J. *see* ORTÍZ, A.

ALVAREZ-CERMEÑO, J.C. *see* PEREZ, L.

ALVAREZ-MON, M. *see* PÉREZ-BLAS, M.

AMARA, A., CONSTANS, J., CHAUGIER, C., SEBBAN, A., DUBOURG, L., PEUCHANT, E., PELLEGRIN, J.-L., LENG, B., CONRI, C. & GEFFARD, M. Autoantibodies to malondialdehyde-modified epitope in connective tissue diseases and vasculitides, 233

ANDREEV, S. *see* COULPIER, M.

APPELBERG, R., SARMENTO, A. & CASTRO, A.G. Tumour necrosis factor-alpha (TNF-α) in the host resistance to mycobacteria of distinct virulence, 308

ARON, A.L., CUELLAR, M.L., BREY, R.L., MCKEOWN, S., ESPINOZA, L.R., SHOENFELD, Y. & GHARAVI, A.E. Early onset of autoimmunity in MRL/++ mice following immunization with β_2 glycoprotein I, 78

ATTA, M.S., IRVING, W.L., POWELL, R.J. & TODD, I. Enhanced expression of MHC class I molecules on cultured human thyroid follicular cells infected with reovirus through induction of type 1 interferons, 121

BAHAKIM, H. *see* HAQUE, K.N.

BAIER, K. *see* BOHLE, B.

BARR, J. *see* KATZ, Y.

BARTLETT, J.A. *see* FERRARI, G.

BÉNÉ, M.-C. *see* HARPER, S.J.

BELEC, L., MEILLET, D., GAILLARD, O., PRAZUCK, T., MICHEL, E., NGONDI EKOME, J. & PILLOT, J. Decreased cervicovaginal production of both IgA1 and IgA2 subclasses in women with AIDS, 100

BEN-NUN, A. *see* LAHAT, N.

BENDINELLI, M. *see* POLI, A.

BERDEN, J.H.M. *see* HYLKEMA, M.N.

BERGSTRÖM, S. *see* FORSBERG, P.

BERTELLI, R. *see* VALLE, M.T.

BESSOU, G. *see* LOPEZ, S.

BHAVNANI, M. *see* BOWMAN, S.J.

BIGALLI, L. *see* POLI, A.

BIRNIE, D., MCKAY, I.C., VEITCH, J., WHALEY, K., HOOD, S., HILLIS, W.S. & HOLME, E.R. Antimycobacterial hsp65 and rheumatoid factor titres in a population of normal twins: evidence of genetic control of rheumatoid factor, 393

BLOOM, S., SIMMONS, D. & JEWELL, D.P. Adhesion molecules intercellular adhesion molecule-1 (ICAM-1), ICAM-3 and B7 are not expressed by epithelium in normal or inflamed colon, 157

BOHLE, B., WILLHEIM, M., BAIER, K., STADLER, B., SPITZAUER, S., SCHEINER, O., KRAFT, D. & EBNER, C. Hydrocortisone enhances total IgE levels—but not the synthesis of allergen-specific IgE—in a monocyte-dependent manner, 474

BOLOGNESI, D.P. *see* FERRARI, G.

BOS, J.D. *see* KREMER, I.B.

BOWMAN, S.J., BHAVNANI, M., GEDDES, G.C., CORRIGALL, V., BOYLSTON, A.W., PANAYI, G.S. & LANCHBURY, J.S. Large granular lymphocyte expansions in patients with Felty's syndrome: analysis using anti-T cell receptor Vβ-specific monoclonal antibodies, 18

BOYLSTON, A.W. *see* BOWMAN, S.J.

BRANDER, C., PICHLER, W.J. & CORRADIN, G. Identification of HIV protein-derived cytotoxic T lymphocyte (CTL) epitopes for their possible use as synthetic vaccine, 107

BREATHNACH, S.M. *see* PHILLIPS, W.G.

BRENNAN, F.M. *see* MAINI, R.N.

BRENNAN, F.M. *see* PHILLIPS, W.G.

BRENNAN, F.R., MIKECZ, K., BUZÁS, E.I., RAGASA, D., CS-SZABÓ, G., NEGROIU, G. & GLANT, T.T. Antigen-specific B cells present cartilage proteoglycan (aggrecan) to an autoreactive T cell hybridoma derived from a mouse with proteoglycan-induced arthritis, 414

BREY, R.L. *see* ARON, A.L.

BRIEVA, J.A. *see* PEREZ, L.

BRITO, B.E., ROMANO, E.L. & GRUNFELD, C. Increased lipopolysaccharide-induced tumour necrosis factor levels and death in hypercholesterolaemic rabbits, 357

BROUG-HOLUB, E., PERSOONS, J.H.A., SCHORNAGEL, K. & KRAAL, G. Changes in cytokine and nitric oxide secretion by rat alveolar macrophages after oral administration of bacterial extracts, 302

BROWN, B. *see* LING, N.R.

BURMEISTER, G. *see* LÜGERING, N.

BUZÁS, E.I. *see* BRENNAN, F.R.

CALICH, V.L.G. *see* SINGER-VERMES, L.M.

CARBALLIDO, J. *see* PÉREZ-BLAS, M.

CARDOT, E. *see* DELNESTE, Y.

CASTLE, S., WILKINS, S., HECK, E., TANZY, K. & FAHEY, J. Depression in caregivers of demented patients is associated with altered immunity: impaired proliferative capacity, increased $CD8^+$, and a decline in lymphocytes with surface signal transduction molecules ($CD38^+$) and a cytotoxicity marker ($CD56^+$ $CD8^+$), 487

CASTRO, A.G. *see* APPELBERG, R.

CHARLESWORTH, J.A. *see* SHEEHAN, M.

CHAUGIER, C. *see* AMARA, A.

CHEN, D.-S. *see* YANG, P.-M.

CHEN, P.-J. *see* YANG, P.-M.

CHEUNG, S.C., TAKEDA, S. & NOTKINS, A.L. Both V_H and V_L chains of polyreactive IgM antibody are required for polyreactivity: expression of Fab in *Escherichia coli*, 383

CHI, W.-K. *see* YANG, P.-M.

CHIANG, B.-L. *see* YANG, P.-M.

CHU, Y.-D. *see* YANG, P.-M.

COHEN, L. *see* LAHAT, N.

CONDOM, E. *see* ORTÍZ, A.

CONRI, C. *see* AMARA, A.

CONSTANS, J. *see* AMARA, A.

CORRADIN, G. *see* BRANDER, C.

CORRIGALL, V. *see* BOWMAN, S.J.

CORTEZ, S.A.E. *see* SILVA, C.L.

COULPIER, M., ANDREEV, S., LEMERCIER, C., DAUCHEL, H., LEES, O., FONTAINE, M. & RIPOCHE, J. Activation of the endothelium by IL-1α and glucocorticoids results in major increase of complement C3 and factor B production and generation of C3a, 142

CROFT, S. *see* TINDLE, R.W.

CS-SZABÓ, G. *see* BRENNAN, F.R.

CSERNOK, E. *see* RICHTER, C.

CUELLAR, M.L. *see* ARON, A.L.

DA SILVA CARDOSO, M. *see* SIEMONEIT, K.

DALLEGRI, F. *see* OTTONELLO, L.

DAPINO, P. *see* OTTONELLO, L.

DAUCHEL, H. *see* COULPIER, M.

DAVENPORT, C., LOVELL, H., JAMES, R.F.L. & TODD, I. Brain-reactive autoantibodies in BB/d rats do not recognize glutamic acid decarboxylase, 127

DAYAN, M. *see* SEGAL, R.

DE GROOT, K. *see* RICHTER, C.

DE SWART, R.L., ROSS, P.S., TIMMERMAN, H.H., VOS, H.W., REIJNDERS, P.J.H., VOS, J.G. & OSTERHAUS, A.D.M.E. Impaired cellular immune response in harbour seals (*Phoca vitulina*) feeding on environmentally contaminated herring, 480

DE WITTE, T. *see* VAN DEN BOSCH, G.

DEGL'INNOCENTI, M.L. *see* VALLE, M.T.
DELNESTE, Y., JEANNIN, P., GOSSET, P., LASSALLE, P., CARDOT, E., TILLIE-LEBLOND, I., JOSEPH, M., PESTEL, J. & TONNEL, A.-B. Allergen-stimulated T lymphocytes from allergic patients induce vascular cell adhesion molecule-1 (VCAM-1) expression and IL-6 production by endothelial cells, 164
DIJKSTRA, C.D. *see* PALMEN, M.J.H.J.
DILLON, M.J. *see* NASH, M.C.
DOLMAN, K.M., JAGER, A., SONNENBERG, A., VON DEM BORNE, A.E.G.K.R. & GOLDSCHMEDING, R. Proteolysis of classic anti-neutrophil cytoplasmic autoantibodies (C-ANCA) by neutrophil proteinase 3, 8
DOMSCHKE, W. *see* LÜGERING, N.
DOUGADOS, M. *see* LOPEZ, S.
DRACH, J. *see* FIEGL, M.
DUBOURG, L. *see* AMARA, A.
DUPUIS, S. *see* ROTH, A.D.

EBERSOLE, J.L. *see* O'DELL, D.S.
EBNER, C. *see* BOHLE, B.
EGIDO, J. *see* ORTÍZ, A.
EKERFELT, C. *see* FORSBERG, P.
EKERFELT, C., ERNERUDH, J., SOLDERS, G. & VRETHEM, M. CD5 expression on B cells may be an activation marker for secretion of anti-myelin antibodies in patients with polyneuropathy associated with monoclonal gammopathy, 346
ELLIOTT, M.J. *see* MAINI, R.N.
ERNERUDH, J. *see* EKERFELT, C.
ERNERUDH, J. *see* FORSBERG, P.
ESPINOZA, L.R. *see* ARON, A.L.

FACCHETTI, P. *see* VALLE, M.T.
FACCIOLI, L.H. *see* SILVA, C.L.
FAHEY, J. *see* CASTLE, S.
FALCONE, M.L. *see* POLI, A.
FARRANT, J. *see* FUNAUCHI, M.
FAURE, G. *see* HARPER, S.J.
FEEHALLY, J. *see* HARPER, S.J.
FELDMANN, M. *see* MAINI, R.N.
FELDMANN, M. *see* PHILLIPS, W.G.
FENNING, S., WOLFF-VORBECK, G., HACKL, W., KRAWINKEL, U., LÜHRMANN, R., NORTHEMANN, W., PETER, H.H. & SCHLESIER, M. T cell lines recognizing the 70-kD protein of U1 small nuclear ribonucleoprotein (U1snRNP), 408
FERNANDO, G.J.P. *see* TINDLE, R.W.
FERNÁNDEZ, C. *see* ALARCÓN-RIQUELME, M.E.
FERRARI, G., KING, K., RATHBUN, K., PLACE, C.A., PACKARD, M.V., BARTLETT, J.A., BOLOGNESI, D.P. & WEINHOLD, K.J. IL-7 enhancement of antigen-driven activation/expansion of HIV-1-specific cytotoxic T lymphocyte precursors (CTLp), 239
FIEGL, M., STRASSER-WOZAK, E., GELEY, S., GSUR, A., DRACH, J. & KOFLER, R. Glucocorticoid-mediated immunomodulation: hydrocortisone enhances immunosuppressive endogenous retroviral protein (p15E) expression in mouse immune cells, 259
FINN, A. *see* REBUCK, N.
FISH, E.N. *see* ROBINSON, E.
FONTAINE, M. *see* COULPIER, M.
FORSBERG, P., ERNERUDH, J., EKERFELT, C. ROBERG, M., VRETHEM, M. & BERGSTRÖM, S. The outer surface proteins of Lyme disease borrelia spirochetes stimulate T cells to secrete interferon-gamma (IFN-γ): diagnostic and pathogenic implications, 453
FOSS, N.T. *see* SILVA, C.L.
FRASER, J.D. *see* SIMPSON, I.J.
FREDRIKSON, S. *see* YU, M.
FUNAUCHI, M., FARRANT, J., MORENO, C. & WEBSTER, A.D.B. Defects in antigen-driven lymphocyte responses in common variable immunodeficiency (CVID) are due to a reduction in the number of antigen-specific $CD4^+$ T cells, 82

GAILLARD, O. *see* BELEC, L.
GALLAGHER, G. *see* WALKER, W.
GECZY, A.F. *see* TINDLE, R.W.
GEDDES, G.C. *see* BOWMAN, S.J.
GEFFARD, M. *see* AMARA, A.
GELEY, S. *see* FIEGL, M.
GEURSEN, A. *see* SIMPSON, I.J.
GHARAVI, A.E. *see* ARON, A.L.
GIBSON, A. *see* REBUCK, N.
GILLETT, N. *see* ROBINSON, E.
GISCOMBE, R., GRUNEWALD, J., NITYANAND, S. & LEFVERT, A.K. T cell receptor (TCR) V gene usage in patients with systemic necrotizing vasculitis, 213
GLANT, T.T. *see* BRENNAN, F.R.
GOLDSCHMEDING, R. *see* DOLMAN, K.M.
GOLLNER, D., KAWACHI, H , OITE, T., OKA, M., NAGASE, M. & SHIMIZU, F. Strain variation in susceptibility to the development of monoclonal antibody 5-1-6-induced proteinuria in rats , 341
GONZÁLEZ, E. *see* ORTÍZ, A.
GORDON, T. *see* RISCHMUELLER, M.
GOSSET, P. *see* DELNESTE, Y.
GÓMEZ-CHIARRI, M. *see* ORTÍZ, A.
GROSS, W.L. *see* RICHTER, C.
GRUNEWALD, J. *see* GISCOMBE, R.
GRUNFELD, C. *see* BRITO, B.E.
GSUR, A. *see* FIEGL, M.
GUSMANO, R. *see* VALLE, M.T.

HACKL, W. *see* FENNING, S.
HALBWACHS-MECARELLI, L. *see* LOPEZ, S.
HAQUE, K.N., REMO, C. & BAHAKIM, H. Comparison of two types of intravenous immunoglobulins in the treatment of neonatal sepsis, 328
HARDIE, D. *see* LING, N.R.
HARPER, S.J., ALLEN, A.C., BÉNÉ, M.-C., PRINGLE, J.H., FAURE, G., LAUDER, I. & FEEHALLY, J. Increased dimeric IgA-producing B cells in tonsils in IgA nephropathy determined by *in situ* hybridization for J chain mRNA, 442
HASHIMOTO, S. *see* KOIZUMI, A.
HAYAKAWA, J. *see* TAKIZAWA, T.
HECK, E. *see* CASTLE, S.
HENDRIKS, J. *see* VAN DEN BOSCH, G.
HERD, K. *see* TINDLE, R.W.
HERLYN, D. *see* SOMASUNDARAM, R.
HILLIS, W.S. *see* BIRNIE, D.
HOFMANN-LEHMANN, R. *see* POLI, A.
HOLME, E.R. *see* BIRNIE, D.
HONTORIA, J. *see* PÉREZ-BLAS, M.
HOOD, S. *see* BIRNIE, D.
HORIE, T. *see* KOIZUMI, A.
HORIE, T. *see* TAKIZAWA, T.
HOWIE, S.E.M. *see* WALLACE, W.A.H.
HUANG, W.-L. *see* YANG, P.-M.
HWANG, L.-H. *see* YANG, P.-M.
HYLKEMA, M.N., ZWET, I.V.D., KRAMERS, C., VAN BRUGGEN, M.C.J., SWAAK, A.J.G., BERDEN, J.H.M. & SMEENK, R.J.T. No evidence for an independent role of anti-heparan sulphate reactivity apart from anti-DNA in lupus nephritis, 55

IMAI, K. *see* KOIZUMI, A.
IRVING, W.L. *see* ATTA, M.S.

JACOB, L. *see* SOMASUNDARAM, R.
JAGER, A. *see* DOLMAN, K.M.
JAKSCHIESS, D. *see* RUMP, J.A.
JAMES, R.F.L. *see* DAVENPORT, C.
JEANNIN, P. *see* DELNESTE, Y.
JEWELL, D.P. *see* BLOOM, S.
JOSEPH, M. *see* DELNESTE, Y.
JUNKER, P. *see* MARQUART, H.V.

KALLENBERG, C.G.M. *see* MULDER, A.H.L.
KANG, H. *see* TAKIZAWA, T.
KAO, J.-H. *see* YANG, P.-M.
KATZ, Y., STAV, D., BARR, J. & PASSWELL, J.H. IL-13 results in differential regulation of the complement proteins C3 and factor B in tumour necrosis factor (TNF)-stimulated fibroblasts, 150
KAWACHI, H. *see* GOLLNER, D.

KEYSTONE, E.C. *see* ROBINSON, E.
KINARTY, A. *see* LAHAT, N.
KING, K. *see* FERRARI, G.
KITAMURA, N. *see* TAKIZAWA, T.
KOBAYASHI, T. *see* KOIZUMI, A.
KOERNER, K. *see* SIEMONEIT, K.
KOFLER, R. *see* FIEGL, M.
KOHSAKA, H. *see* MIZUSHIMA, N.
KOIZUMI, A., HASHIMOTO, S., KOBAYASHI, T., IMAI, K., YACHI, A. & HORIE, T. Elevation of serum soluble vascular cell adhesion molecule-1 (sVCAM-1) levels in bronchial asthma, 468
KRAAL, G. *see* BROUG-HOLUB, E.
KRAFT, D. *see* BOHLE, B.
KRAMERS, C. *see* HYLKEMA, M.N.
KRAWINKEL, U. *see* FENNING, S.
KREMER, I.B., BOS, J.D. & TEUNISSEN, M.B.M. Reduced antigen-presenting function of human Epstein–Barr virus (EBV)-B cells and monocytes after UVB radiation is accompanied by decreased expression of B7, intercellular adhesion molecule-1 (ICAM-1) and LFA-3, 461
KUBANEK, B. *see* SIEMONEIT, K.
KUCHARZIK, T. *see* LÜGERING, N.
KUNKL, A. *see* VALLE, M.T.

LACHMANN, P.J. *see* ZHANG, W.
LAHAT, N., BEN-NUN, A., COHEN, L., KINARTY, A. & LERNER, A. T cell receptor repertoire in the peripheral blood and intestinal mucosa of coeliac patients, 422
LAI, M.-Y. *see* YANG, P.-M.
LAMB, D. *see* WALLACE, W.A.H.
LANCHBURY, J.S. *see* BOWMAN, S.J.
LASSALLE, P. *see* DELNESTE, Y.
LAUDER, I. *see* HARPER, S.J.
LEES, O. *see* COULPIER, M.
LEFVERT, A.K. *see* GISCOMBE, R.
LEMERCIER, C. *see* COULPIER, M.
LENG, B. *see* AMARA, A.
LERMA, J.L. *see* ORTÍZ, A.
LERNER, A. *see* LAHAT, N.
LESLIE, R.G.Q. *see* MARQUART, H.V.
LING, N.R., BROWN, B. & HARDIE, D. Production of immunoglobulins by human $sIgD^+$ and $sIgD^-$ human blood B lymphocytes in response to stimulation with activated T cells and agonistic antibodies; effect of IL-10, IL-2 and mode of activation of T cells, 369
LINK, H. *see* YU, M.
LINK, J. *see* YU, M.
LOCKWOOD, C.M. *see* SIMPSON, I.J.
LOMBARDI, S. *see* POLI, A.
LOPEZ, S., HALBWACHS-MECARELLI, L., RAVAUD, P., BESSOU, G., DOUGADOS, M. & PORTEU, F. Neutrophil expression of tumour necrosis factor receptors (TNF-R) and of activation markers (CD11b, CD43, CD63) in rheumatoid arthritis, 25
LOVELL, H. *see* DAVENPORT, C.
LUTZ, H. *see* POLI, A.
LÜGERING, N., STOLL, R., KUCHARZIK, T., BURMEISTER, G., SORG, C. & DOMSCHKE, W. Serum 27E10 antigen: a new potential marker for staging HIV disease, 249
LÜHRMANN, R. *see* FENNING, S.

MAAS, F. *see* VAN DEN BOSCH, G.
MAINI, R.N., ELLIOTT, M.J., BRENNAN, F.M. & FELDMANN, M. Beneficial effects of tumour necrosis factor-alpha (TNF-α) blockade in rheumatoid arthritis (RA), 207
MALCOLM, K. *see* TINDLE, R.W.
MANCA, F. *see* VALLE, M.T.
MARQUART, H.V., SVENDSEN, A., RASMUSSEN, J.M., NIELSEN, C.H., JUNKER, P., SVEHAG, S.-E. & LESLIE, R.G.Q. Complement receptor expression and activation of the complement cascade on B lymphocytes from patients with systemic lupus erythematosus (SLE), 60
MARTÍNEZ-MARTÍN, B. *see* PÉREZ-BLAS, M.
MASSI, C. *see* POLI, A.
MCCLUSKEY, J. *see* RISCHMUELLER, M.
MCKAY, I.C. *see* BIRNIE, D.
MCKEOWN, S. *see* ARON, A.L.
MCLACHLAN, S.M. & RAPOPORT, B. Genetic and epitopic analysis of thyroid peroxidase (TPO) autoantibodies: markers of the human thyroid autoimmune response, 200
MCNEILAGE, L.J. *see* RISCHMUELLER, M.
MEILLET, D. *see* BELEC, L.
MEILOF, J.F. *see* VELDHOVEN, C.H.A.
MICHEL, E. *see* BELEC, L.
MIKECZ, K. *see* BRENNAN, F.R.
MITAMURA, K. *see* TAKIZAWA, T.
MIYASAKA, N. *see* MIZUSHIMA, N.
MIZUSHIMA, N., KOHSAKA, H., TSUBOTA, K., SAITO, I. & MIYASAKA, N. Diverse T cell receptor β gene usage by infiltrating T cells in the lacrimal glands of Sjögren's syndrome, 33
MOORE, A.R. & WILLOUGHBY, D.A. The role of cAMP regulation in controlling inflammation, 387
MORENO, C. *see* FUNAUCHI, M.
MORONE, M.P. *see* OTTONELLO, L.
MORRIS, C.A. *see* SHEEHAN, M.
MOZES, E. *see* SEGAL, R.
MULDER, A.H.L., STEGEMAN, C.A. & KALLENBERG, C.G.M. Activation of granulocytes by anti-neutrophil cytoplasmic antibodies (ANCA) in Wegener's granulomatosis: a predominant role for the IgG3 subclass of ANCA, 227

NAGASE, M. *see* GOLLNER, D.
NASH, M.C., SHAH, V. & DILLON, M.J. Soluble cell adhesion molecules and von Willebrand factor in children with Kawasaki disease, 13
NEGROIU, G. *see* BRENNAN, F.R.
NGONDI EKOME, J. *see* BELEC, L.
NIELSEN, C.H. *see* MARQUART, H.V.
NIESSNER, M. & VOLK, B.A. Altered Th1/Th2 cytokine profiles in the intestinal mucosa of patients with inflammatory bowel disease as assessed by qualitative reversed transcribed polymerase chain reaction (RT-PCR), 428
NISHINARITA, S. *see* TAKIZAWA, T.
NITYANAND, S. *see* GISCOMBE, R.
NORTHEMANN, W. *see* FENNING, S.
NOTKINS, A.L. *see* CHEUNG, S.C.

O'DELL, D.S. & EBERSOLE, J.L. Avidity of antibody responses to *Actinobacillus actinomycetemcomitans* in periodontitis, 295
OITE, T. *see* GOLLNER, D.
OKA, M. *see* GOLLNER, D.
OLIVIER, C. *see* PÉREZ-BLAS, M.
ORTÍZ, A. ALONSO, J. GÓMEZ-CHIARRI, M. LERMA, J.L. SERON, D., CONDOM, E., GONZÁLEZ, E. & EGIDO, J. Fibronectin (FN) decreases glomerular lesions and synthesis of tumour necrosis factor-alpha (TNF-α), platelet-activating factor (PAF) and FN in proliferative glomerulonephritis, 334
OSTERHAUS, A.D.M.E. *see* DE SWART, R.L.
OTTONELLO, L., MORONE, M.P., DAPINO, P. & DALLEGRI, F. Cyclic AMP-elevating agents down-regulate the oxidative burst induced by granulocyte-macrophage colony-stimulating factor (GM-CSF) in adherent neutrophils, 502

PACKARD, M.V. *see* FERRARI, G.
PALMEN, M.J.H.J., DIJKSTRA, C.D., VAN DER ENDE, M.B., PEÑA, A.S. & VAN REES, E.P. Anti-CD11b/CD18 antibodies reduce inflammation in acute colitis in rats, 351
PANAYI, G.S. *see* BOWMAN, S.J.
PASSWELL, J.H. *see* KATZ, Y.
PEAKE, J.S. *see* SIMPSON, I.J.
PELLEGRIN, J.-L. *see* AMARA, A.
PEÑA, A.S. *see* PALMEN, M.J.H.J.
PEREZ, L., ALVAREZ-CERMEÑO, J.C., RODRIGUEZ, C., ROLDÁN, E. & BRIEVA, J.A. B cells capable of spontaneous IgG secretion in cerebrospinal fluid from patients with multiple sclerosis: dependency on local IL-6 production, 449
PERFUMO, F. *see* VALLE, M.T.
PERSOONS, J.H.A. *see* BROUG-HOLUB, E.
PESTEL, J. *see* DELNESTE, Y.
PETER, H.H. *see* FENNING, S.
PETER, H.H. *see* RUMP, J.A.
PEUCHANT, E. *see* AMARA, A.

PÉREZ-BLAS, M., MARTÍNEZ-MARTÍN, B., CARBALLIDO, J., HONTORIA, J., SALAZAR, L.I., OLIVIER, C. & ALVAREZ-MON, M. Defective functional response to membrane stimuli in lymphocytes from patients with benign prostatic hyperplasia, 521
PICHLER, W.J. *see* BRANDER, C.
PIETRO, R.C.L. *see* SILVA, C.L.
PILLOT, J. *see* BELEC, L.
PLACE, C.A. *see* FERRARI, G.
POLI, A., FALCONE, M.L., BIGALLI, L., MASSI, C., HOFMANN-LEHMANN, R., LOMBARDI, S., BENDINELLI, M. & LUTZ, H. Circulating immune complexes and analysis of renal immune deposits in feline immunodeficiency virus-infected cats, 254
PORTEU, F. *see* LOPEZ, S.
POWELL, R.J. *see* ATTA, M.S.
PRAZUCK, T. *see* BELEC, L.
PREIJERS, F. *see* VAN DEN BOSCH, G.
PRINGLE, J.H. *see* HARPER, S.J.
PRUIJN, G.J.M. *see* VELDHOVEN, C.H.A.
PUSSELL, B.A. *see* SHEEHAN, M.

RAGASA, D. *see* BRENNAN, F.R.
RAMAGE, E.A. *see* WALLACE, W.A.H.
RAPOPORT, B. *see* MCLACHLAN, S.M.
RASMUSSEN, J.M. *see* MARQUART, H.V.
RATHBUN, K. *see* FERRARI, G.
RAVAUD, P. *see* LOPEZ, S.
REBUCK, N., GIBSON, A. & FINN, A. Neutrophil adhesion molecules in term and premature infants: normal or enhanced leucocyte integrins but defective L-selectin expression and shedding, 183
REIJNDERS, P.J.H. *see* DE SWART, R.L.
REINHOLD-KELLER, E. *see* RICHTER, C.
REMO, C. *see* HAQUE, K.N.
RICHTER, C., SCHNABEL, A., CSERNOK, E., DE GROOT, K., REINHOLD-KELLER, E. & GROSS, W.L. Treatment of anti-neutrophil cytoplasmic antibody (ANCA)-associated systemic vasculitis with high-dose intravenous immunoglobulin, 2
RIPOCHE, J. *see* COULPIER, M.
RISCHMUELLER, M., MCNEILAGE, L.J., MCCLUSKEY, J. & GORDON, T. Human autoantibodies directed against the RNA recognition motif of La (SS-B) bind to a conformational epitope present on the intact La (SS-B)/Ro (SS-A) ribonucleoprotein particle, 39
ROBERG, M. *see* FORSBERG, P.
ROBINSON, E., KEYSTONE, E.C., SCHALL, T.J., GILLETT, N. & FISH, E.N. Chemokine expression in rheumatoid arthritis (RA): evidence of RANTES and macrophage inflammatory protein (MIP)-1β production by synovial T cells, 398
RODRIGUEZ, C. *see* PEREZ, L.
ROLDÁN, E. *see* PEREZ, L.
ROMANO, E.L. *see* BRITO, B.E.
ROSS, P.S. *see* DE SWART, R.L.
ROTH, A.D., DUPUIS, S. & ALBERTO, P. Human recombinant IL-4 decreases the emergence of non-specific cytolytic cells and favours the appearance of memory cells ($CD4^+CD45RO^+$) in the IL-2-driven development of cytotoxic T lymphocytes against autologous ovarian tumour cells, 362
RUMP, J.A., JAKSCHIESS, D., WALKER, U., SCHLESIER, M., VON WUSSOW, P. & PETER, H.H. Common variable immunodeficiency (CVID) and MxA-protein expression in blood leucocytes, 89

SAITO, I. *see* MIZUSHIMA, N.
SAKAMOTO, T.N. *see* SINGER-VERMES, L.M.
SALAZAR, L.I. *see* PÉREZ-BLAS, M.
SARMENTO, A. *see* APPELBERG, R.
SCHALL, T.J. *see* ROBINSON, E.
SCHEINER, O. *see* BOHLE, B.
SCHLESIER, M. *see* FENNING, S.
SCHLESIER, M. *see* RUMP, J.A.
SCHNABEL, A. *see* RICHTER, C.
SCHORNAGEL, K. *see* BROUG-HOLUB, E.
SEBBAN, A. *see* AMARA, A.
SEGAL, R., DAYAN, M., ZINGER, H. & MOZES, E. Methotrexate treatment in murine experimental systemic lupus erythematosus (SLE); clinical benefits associated with cytokine manipulation, 66
SERON, D. *see* ORTÍZ, A.
SHAH, V. *see* NASH, M.C.
SHARMA, A.K. & WOLDEHIWET, Z. Cell-mediated immune responses of lambs to challenge with bovine respiratory syncytial virus, 288
SHEEHAN, M., MORRIS, C.A., PUSSELL, B.A. & CHARLESWORTH, J.A. Complement inhibition by human vitronectin involves non-heparin binding domains, 136
SHIMIZU, F. *see* GOLLNER, D.
SHOENFELD, Y. *see* ARON, A.L.
SIEMONEIT, K., DA SILVA CARDOSO, M., KOERNER, K., WÖLPL, A. & KUBANEK, B. Human monoclonal antibodies for the immunological characterization of a highly conserved protein domain of the hepatitis C virus glycoprotein E1, 278
SILMAN, A.J. *see* WORTHINGTON, J.
SILVA, C.L. *see* SILVA, M.F.
SILVA, C.L., SILVA, M.F., FACCIOLI, L.H., PIETRO, R.C.L., CORTEZ, S.A.E. & FOSS, N.T. Differential correlation between interleukin patterns in disseminated and chronic human paracoccidioidomycosis, 314
SILVA, M.F. & SILVA, C.L. The role of somatic structure of the fungus *Paracoccidioides brasiliensis* upon B cell activation in experimental paracoccidioidomycosis, 321
SILVA, M.F. *see* SILVA, C.L.
SIMMONS, D. *see* BLOOM, S.
SIMPSON, I.J., SKINNER, M.A., GEURSEN, A., PEAKE, J.S., ABBOTT, W.G., FRASER, J.D., LOCKWOOD, C.M. & TAN, P.L.J. Peripheral blood T lymphocytes in systemic vasculitis: increased T cell receptor Vβ2 gene usage in microscopic polyarteritis, 220
SINGER-VERMES, L.M., SAKAMOTO, T.N., VAZ, C.A.C. & CALICH, V.L.G. Influence of the genetic pattern and sex of mice in experimental paracoccidioidomycosis, 114
SKINNER, M.A. *see* SIMPSON, I.J.
SMEENK, R.J.T. *see* HYLKEMA, M.N.
SMEENK, R.J.T. *see* VELDHOVEN, C.H.A.
SOLDERS, G. *see* EKERFELT, C.
SOMASUNDARAM, R., JACOB, L. & HERLYN, D. Tetanus toxoid-specific T cell responses in severe combined immunodeficiency (SCID) mice reconstituted with human peripheral blood lymphocytes, 94
SONNENBERG, A. *see* DOLMAN, K.M.
SORG, C. *see* LÜGERING, N.
SPITZAUER, S. *see* BOHLE, B.
STADLER, B. *see* BOHLE, B.
STAV, D. *see* KATZ, Y.
STEGEMAN, C.A. *see* MULDER, A.H.L.
STEWART, T. *see* TINDLE, R.W.
STOLL, R. *see* LÜGERING, N.
STRASSER-WOZAK, E. *see* FIEGL, M.
SVEHAG, S.-E. *see* MARQUART, H.V.
SVENDSEN, A. *see* MARQUART, H.V.
SWAAK, A.J.G. *see* HYLKEMA, M.N.

TAKEDA, S. *see* CHEUNG, S.C.
TAKIZAWA, T., NISHINARITA, S., KITAMURA, N., HAYAKAWA, J., KANG, H., TOMITA, Y., MITAMURA, K., YAMAGAMI, K. & HORIE, T. Interaction of the cell-binding domain of fibronectin with VLA-5 integrin induces monokine production in cultured human monocytes, 376
TAN, P.L.J. *see* SIMPSON, I.J.
TANZY, K. *see* CASTLE, S.
TEUNISSEN, M.B.M. *see* KREMER, I.B.
THIJSSEN, J.P.H. *see* VELDHOVEN, C.H.A.
TILLIE-LEBLOND, I. *see* DELNESTE, Y.
TIMMERMAN, H.H. *see* DE SWART, R.L.
TINDLE, R.W., CROFT, S., HERD, K., MALCOLM, K., GECZY, A.F., STEWART, T. & FERNANDO, G.J.P. A vaccine conjugate of 'ISCAR' immunocarrier and peptide epitopes of the E7 cervical cancer-associated protein of human papillomavirus type 16 elicits specific Th1- and Th2-type responses in immunized mice in the absence of oil-based adjuvants, 265
TODD, I. *see* ATTA, M.S.
TODD, I. *see* DAVENPORT, C.
TOMITA, Y. *see* TAKIZAWA, T.
TONNEL, A.-B. *see* DELNESTE, Y.
TSUBOTA, K. *see* MIZUSHIMA, N.

VALLE, M.T., DEGL'INNOCENTI, M.L., BERTELLI, R., FACCHETTI, P., PERFUMO, F., PHILLIPS, W.G., FELDMANN, M., BREATHNACH, S.M. & BRENNAN, F.M. Modulation of the IL-1 cytokine network in keratinocytes by intracellular IL-1α and IL-1 receptor antagonist, 177
VAN BRUGGEN, M.C.J. *see* HYLKEMA, M.N.
VAN DEN BOSCH, G., PREIJERS, F., VREUGDENHIL, A., HENDRIKS, J., MAAS, F. & DE WITTE, T. Granulocyte-macrophage colony-stimulating factor (GM-CSF) counteracts the inhibiting effect of monocytes on natural killer (NK) cells, 515
VAN DER ENDE, M.B. *see* PALMEN, M.J.H.J.
VAN DER KEMP, A.W.C.M. *see* VELDHOVEN, C.H.A.
VAN REES, E.P. *see* PALMEN, M.J.H.J.
VAN VENROOIJ, W.J. *see* VELDHOVEN, C.H.A.
VAZ, C.A.C. *see* SINGER-VERMES, L.M.
VEDA, K., NAKAJIMA, H., NAKAGAWA, T. & SHIMIZU, A. The association of complement activation at a low temperature with hepatitis C virus infection in comparison with cryoglobulin, 284
VEITCH, J. *see* BIRNIE, D.
VELDHOVEN, C.H.A., PRUIJN, G.J.M., MEILOF, J.F., THIJSSEN, J.P.H., VAN DER KEMP, A.W.C.M., VAN VENROOIJ, W.J., & SMEENK, R.J.T. Characterization of murine monoclonal antibodies against 60-kD Ro/SS-A and La/SS-B autoantigens, 45
VOICE, J. *see* ZHANG, W.
VOLK, B.A. *see* NIESSNER, M.
VON DEM BORNE, A.E.G.K.R. *see* DOLMAN, K.M.
VON WUSSOW, P. *see* RUMP, J.A.
VOS, H.W. *see* DE SWART, R.L.
VOS, J.G. *see* DE SWART, R.L.
VRETHEM, M. *see* EKERFELT, C.
VRETHEM, M. *see* FORSBERG, P.
VREUGDENHIL, A. *see* VAN DEN BOSCH, G.

WALKER, U. *see* RUMP, J.A.
WALKER, W. & GALLAGHER, G. The development of a novel immunotherapy model of human ovarian cancer in human PBL-severe combined immunodeficient (SCID) mice, 494
WALLACE, W.A.H., RAMAGE, E.A., LAMB, D. & HOWIE, S.E.M. A type 2 (Th2-like) pattern of immune response predominates in the pulmonary interstitium of patients with cryptogenic fibrosing alveolitis (CFA), 436
WEBSTER, A.D.B. *see* FUNAUCHI, M.
WEINHOLD, K.J. *see* FERRARI, G.
WHALEY, K. *see* BIRNIE, D.
WILKINS, S. *see* CASTLE, S.
WILLHEIM, M. *see* BOHLE, B.
WILLOUGHBY, D.A. *see* MOORE, A.R.
WOLDEHIWET, Z. *see* SHARMA, A.K.
WOLFF-VORBECK, G. *see* FENNING, S.
WORTHINGTON, J. & SILMAN, A.J. Genetic control of autoimmunity, lessons from twin studies, 390
WÖLPL, A. *see* SIEMONEIT, K.

YACHI, A. *see* KOIZUMI, A.
YAMAGAMI, K. *see* TAKIZAWA, T.
YANG, P.-M., HWANG, L.-H., LAI, M.-Y., HUANG, W.-L., CHU, Y.-D., CHI, W.-K., CHIANG, B.-L., KAO, J.-H., CHEN, P.-J. & CHEN, D.-S. Prominent proliferative response of peripheral blood mononuclear cells to a recombinant non-structural (NS3) protein of hepatitis C virus in patients with chronic hepatitis C, 272
YU, M., FREDRIKSON, S., LINK, J. & LINK, H. High numbers of autoantigen-reactive mononuclear cells expressing interferon-gamma (IFN-γ), IL-4 and transforming growth factor-beta (TGF-) are present in cord blood, 190

ZHANG, W., VOICE, J. & LACHMANN, P.J. A systematic study of neutrophil degranulation and respiratory burst *in vitro* by defined immune complexes, 507
ZINGER, H. *see* SEGAL, R.
ZWET, I.V.D. *see* HYLKEMA, M.N.

Subject Index

27E10, 249

Actinobacillus actinomycetemcomitans, 295
adhesion molecules, 157, 351
ageing, 487
allergy, 164
alveolar macrophages, 302
anaphylatoxins, 142
ANCA, 227
animal model, 414
anti-DNA, 55
anti-heat shock protein 65, 393
anti-heparan, 55
anti-idiotypic antibodies, 2
anti-La (SS-B), 39
anti-peripheral nerve-myelin antibodies, 346
anti-TCR Vβ antibodies, 18
antibody, 295
antibody genes, 383
antibody production, 321
antigen presentation, 172, 414
antigen-binding, 383
antiphospholipid antibodies, 78
antiphospholipid syndrome, 78
APC function, 461
arthritis, 414
autoantibodies, 73, 233
autoantibody, 39
autoantigen-reactive T cells, 190
autoimmune thyroid disease, 200
autoimmunity, 422
avidity, 295

β_2 glycoprotein I, 78
B cells, 60, 414
B lymphocytes, 369
B-7, 461
BB rats, 127
bacterial extracts, 302
benign prostatic hyperplasia, 521
borrelia, 453
bovine respiratory syncytial virus, 288
brain-reactive autoantibodies, 127
bronchial asthma, 468

C-ANCA, 8
C-reactive protein, 314
CD11b/CD18, 351
CD28, 351
CD3, 521
CD38, 487
$CD4^+$ T cell depletion, 82
$CD4^+$ T cells, 82
CD43, 25
$CD5^+$ B cell, 346
CD56, 487
CD63, 25
CDR3 diversity, 73
cell adhesion molecules, 13
cerebrospinal fluid, 453
cerebrospinal fluid IgG-secreting cells, 449
cerebrospinal fluid IL-6 production, 449
chemokine, 398
chronic hepatitis C, 272
circulating immune complexes, 254
coeliac, 422
colitis, 157, 351
common variable immunodeficiency, 82, 89
competitive RT-PCR, 428
complement, 60, 142, 150
complement activation, 142
complement activation *in vitro*, 284
complement cold activation, 284
complement inhibition, 136
continuous peritoneal dialysis, 172
cord blood, 190
cryoglobulin, 284
CTL, 265, 365
CTL epitopes, 107
Crohn's disease, 428
cytokine, 164, 436
cytokines, 66, 302
cytotoxic T lymphocytes, 239
cytotoxicity, 288, 515

degranulation, 507
depression, 487

ELISPOT, 453
endogenous retrovirus, 259
endothelial cell, 142, 164
endotoxin, 357
epitope mapping, 39
epitopes, 200
Escherichia coli, 383
experimental infection, 357
experimental systemic lupus erythematosus, 66
expression system, 383

Fab fragment, 383
FCγR, 227
feline immunodeficiency virus, 254
Felty's syndrome, 18
female genital tract, 100
fetal death, 78
fibroblasts, 150
fibronectin, 334, 376
fibrosing alveolitis, 436
fingerprints, 200
flow cytometry, 346
fungal cell wall, 321

$\gamma\delta$ T cells, 422
genetic influence, 114
genetics, 393
glomerular epithelial cell, 341
glomerulonepthritis, 334
glucocorticoids, 142, 259, 474
glutamic acid decarboxylase, 127
GM-CSF, 515
granulocyte-macrophage colony-stimulating factor, 502

hepatitis C virus, 272, 278, 284
HIV, 239
HIV-1, 100
HIV infection, 249
HIV protein sequences, 107
HLA-A2.1 binding motif, 107
HPV16 E7, 265
human IgG, 8

human monoclonal antibodies, 278
human PBL-SCID mice, 494
human T cells, 94
human terminal B cell differentiation, 449
hydrocortisone, 474
hyperchloesterolaemia, 357
hypergammaglobulinaemia, 321

ICAM-1, 461
IFN-α, 121
IFN-β, 121
IgA, 100
IgA nephropathy, 442
IgA1, 100
IgA2, 100
IgE synthesis, 474
IgG3, 227
IgM-enriched IVIG, 328
IL-1, 142, 177
IL-1 receptor antagonist, 177
IL-13, 150
IL-2, 515
IL-4, 190, 362, 436
IL-5, 436
IL-7, 239
immume complex, 284
immune complexes, 507
immune dysfunction, 487
immune response, 272
immunoglobulin H (and L) chain V genes, 200
immunoglobulin production, 369
immunoregulatory cytokines, 428
immunosuppression, 259, 461, 480
immunotoxicology, 480
inflammation, 314
innate resistance, 308
insulin-dependent diabetes, 127
integrins, 183
interferon-alpha, 89
interferon-gamma, 190, 436, 453
interleukins, 314
intestinal epithelium, 157
intravenous immunoglobulin, 2, 328
ISCAR, 265

J chain, 442

Kawasaki disease, 13
keratinocytes, 177

L-selection, 183
lacrimal gland, 33
LAK, 362
lectins, 521
LGL syndrome, 18
lipid, 233
lupus nephritis, 55

macrophages, 308
malondialdehyde, 233
marine mammals, 480
memory cells, 362
mesothelial cells, 172
Methotrexate, 66
MHC molecules, 121
mixed connective tissue disease, 40
monoclonal antibody, 45, 207, 341
monoclonal gammopathy, 346
monocytes, 376, 515
monokine, 376
MRP14, 249
MRP8, 249
mucosal immunity, 100
multiple sclerosis, 190, 449

MxA-protein, 89
myasthenia gravis, 190
Mycobacterium avium, 308
Mycobacterium tuberculosis, 308

natural killer, 362
necrotizing vasculitis, 213
neonatal, 183
neonatal mortality, 328
neonatal sepsis, 328
neopterin, 249
neutrophil, 183
neutrophil activation, 227
neutrophils, 25, 502, 507
NK activity, 515
non-structural protein, 272

ovarian cancer, 494
ovarian tumour, 362
OvCD4, 288
OvCD8, 288
oxidative burst, 502
oxidative stress, 233

p15E, 259
Paracoccidioides brasiliensis, 314, 321
paracoccidioidomycosis, 114, 314
peptide vaccine, 265
periodontitis, 295
peripheral blood lymphocytes, 94
peripheral blood mononuclear cells, 272
peritonitis, 172
peroxidation, 233
Phoca vitulina, 480
phocine distemper virus, 480
platelet-activating factor, 334
polyarteritis nodosa, 213
polyclonal B cell activation, 321
polyneuropathy, 346
polyreactive antibodies, 383
proteinase, 3, 8
proteinuria, 341
proteinuria tumour necrosis factor, 334
proteoglycan, 414
proteolysis, 8
purified protein derivative, 82

rat, 351
renal function, 254
renal immune deposits, 254
reovirus, 121
respiratory burst, 507
restricted usage, 422
rheumatoid arthritis, 25, 207, 393, 398
rheumatoid factor, 393
RNA recognition motif, 39
Ro/SS-A, 45

SCID mice, 94
sL-selectin, 183
secondary anchor residues, 107
septic shock, 142
serum immunoglobulin concentrations, 254
sex influence, 114
Sjögren's syndrome, 33
small nuclear ribonucleoproteins, 4
soluble VCAM-1, 468
strain variation, 341
sulphate, 55
susceptibility, 357
systemic diseases, 233
systemic lupus erythematosus, 60, 73
systemic vasculitis, 2, 220

T cell clonality, 33
T cell lines, 408
T cell receptor, 33, 213, 220, 422
T cell receptor Vβ chain, 220
T cells, 288, 453
T hybridoma, 414
T lymphocyte, 164, 521
terminal complement complex, 136
tetanus toxoid, 94
Th1/Th2, 265
therapy, 207
thrombocytopenia, 78
thyroid follicular cells, 121
TNBS, 351
TNF-receptors, 25
tonsils, 442
TPO autoantibodies, 200
transforming growth factor-beta, 190
tumour necrosis factor, 150, 357
tumour necrosis factor-alpha, 207, 308
twins, 393
type I allergy, 474

ulcerative colitis, 428
UVB radiation, 461

vaccination, 494
VLA-5, 376

Wegner's granulomatosis, 213

Zidovudine, 249